Neuroscience Letters, 214 (1996) 211–213
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abe, Y., see Tomobe, Y.I., 57
Akasu, T., see Tokimasa, T., 79
Alici, K., Müller, W., Heinemann, U., Effects of glutamate receptor agonists on presumed presynaptic Ca^{2+}-signals in juvenile rat hippocampal area CA1, 17
Alvarez, J., see Schmidt, J., 1
Azuma, S., Kodama, T., Honda, K., Inoué, S., State-dependent changes of extracellular glutamate in the medial preoptic area in freely behaving rats, 179

Baik, S.H., see Cha, C.I., 37
Bartsch, T., Häbler, H.-J., Jänig, W., Functional properties of postganglionic sympathetic neurones supplying the submandibular gland in the anaesthetized rat, 143
Basun, H., see Blomberg, M., 163
Battaini, F., see Pascale, A., 99
Baumann, K.I., see Senok, S.S., 167
Behbehani, M.M., see Da Costa Gomez, T.M., 5
Belknap, J.K., see Mogil, J.S., 131
Blanquet P.R., Jonet L., Signal-regulated proteins and fibroblast growth factor receptors: comparative immunolocalization in rat retina, 135
Blomberg, M., Jensen, M., Basun, H., Lannfelt, L., Wahlund, L.-O., Increasing cerebrospinal fluid tau levels in a subgroup of Alzheimer patients with apolipoprotein E allele $\varepsilon 4$ during 14 months follow-up, 163
Bolden, D.A., Sympathectomy induces c-Jun in adult trigeminal neurons: an immunohistochemical and tract-tracing study, 83
Bosch, A., see Plumb, T.J., 159
Bronstein, A., see Popov, K., 202

Cabedo, H., Felipo, V., Miñana, M.-D., Grisolía, S., H7, an inhibitor of protein kinase C, prevents serum-induced phosphorylation of Raf and MAP kinase in neuroblastoma cells, 13
Cairns, N.J., see Fukutani, Y., 33
Camacho-Arroyo, I., Pasapera, A.M., Cerbón, M.A., Regulation of progesterone receptor gene expression by sex steroid hormones in the hypothalamus and the cerebral cortex of the rabbit, 25
Campos, E.O., see Schmidt, J., 1
Cartier, L., see Schmidt, J., 1
Castagnoli, Jr., N., see Igarashi, K., 183
Cerbón, M.A., see Camacho-Arroyo, I., 25
Cha, C.I., Lee, Y.I., Park, K.H., Baik, S.H., Age-related change of neuropeptide Y-immunoreactive neurons in the cerebral cortex of aged rats, 37
Chan, R., Rogers, D.K., McCloskey, D.I., Postural stability of the head in response to slowly imposed, small elastic loads, 205
Chandler, S.D., see Da Costa Gomez, T.M., 5
Chiba, T., Tanaka, K., Tatsuoka, H., Dun, S.L., Dun, N.J., The synaptic structure of PACAP immunoreactive axons in the intermediolateral nucleus of the rat, 65
Chuang, D.-M., see Katsube, N., 151
Clarac, F., see Vinay, L., 103

Da Costa Gomez, T.M., Chandler, S.D., Behbehani, M.M., The role of the basolateral nucleus of the amygdala in the pathway between the amygdala and the midbrain periaqueductal gray in the rat, 5
Davidson, B.L., see Plumb, T.J., 159
De Luca, Jr., L.A., see de Paula, P.M., 155
de Paula, P.M., Sato, M.A., Menani, J.V., De Luca, Jr., L.A., Effects of central α-adrenergic agonists on hormone-induced 3% NaCl and water intake, 155
Djamgoz, M.B.A., Low, J.C., Saito, T., Toyoda, J.-I., Yamada, M., Voltage dependency of light-evoked on-off transient amacrine cell responses in carp retina, 127
Dun, N.J., see Chiba, T., 65
Dun, S.L., see Chiba, T., 65

Egorov, A.V., Heinemann, U., Müller, W., Muscarinic activation reduces changes in $[Ca^{2+}]_o$ evoked by stimulation of Schaffer collaterals during blocked synaptic transmission in rat hippocampal slices, 187

Felipo, V., see Cabedo, H., 13
Ferrer, I., Seguí, J., Olivé, M., Strong c-Jun immunoreactivity is associated with apoptotic cell death in human tumors of the central nervous system, 49
Finazzi-Agrò, A., see Rossini, P.M., 191
Fleischhauer, R., see Mitrovic, N., 9
Fortino, I., see Pascale, A., 99
Fujimori, A., see Tomobe, Y.I., 57
Fukuda, K., see Mautes, A.E.M., 95
Fukui, M., see Igarashi, K., 183
Fukutani, Y., Cairns, N.J., Rossor, M.N., Lantos, P.L., Purkinje cell loss and astrocytosis in the cerebellum in familial and sporadic Alzheimer's disease, 33
Funakoshi, A., see Kobayashi, S., 61

Gean, P.-W., see Wang, S.-J., 87
George, Jr., A.L., see Mitrovic, N., 9
Goto, K., see Tomobe, Y.I., 57
Govoni, S., see Pascale, A., 99
Grandy, D.K., see Mogil, J.S., 131
Gresty, M., see Popov, K., 202
Grisel, J.E., see Mogil, J.S., 131
Grisolía, S., see Cabedo, H., 13

Häbler, H.-J., see Bartsch, T., 143
Haimov, I., see Nave, R., 123
Halata, Z., see Senok, S.S., 167
Hama, H., see Tomobe, Y.I., 57
Hartlaub, U., see Mitrovic, N., 9
Heine, R., see Mitrovic, N., 9
Heinemann, U., see Alici, K., 17
Heinemann, U., see Egorov, A.V., 187
Herer, P., see Nave, R., 123
Hiemke, C., Stolp, M., Reuss, S., Wevers, A., Reinhardt, S., Maelicke, A., Schlegel, S., Schröder, H., Expression of alpha subunit genes of nicotinic acetylcholine receptors in human lymphocytes, 171
Higashi, H., see Tokimasa, T., 79
Honda, K., see Azuma, S., 179
Hong, Y.-M., Thanos, S., A quantitative approach to identify and isolate pure populations of fluorescently labeled adult retinal ganglion cells using a pressure-driven microaspiration technique, 111
Hou, J., see Ni, Y., 115
Hsu, K.-S., see Wang, S.-J., 87
Huang, C.-C., see Wang, S.-J., 87

Huang, C.-C., see Wang, S.-J., 87
Hurley, M.J., Stubbs, C.M., Jenner, P., Marsden, C.D., D3 receptor expression within the basal ganglia is not affected by Parkinson's disease, 75

Idzu, T., see Igarashi, K., 183
Igarashi, K., Matsubara, K., Kasuya, F., Fukui, M., Idzu, T., Effect of a pyridinium metabolite derived from haloperidol on the activities of striatal tyrosine hydroxylase in freely moving rats, 183
Ihara, Y., see Kanemaru, K., 196
Ikeda, K., see Iwasaki, Y., 139
Inoue, A., see Kurokawa, T., 45
Inoué, S., see Azuma, S., 179
Ishibashi, S., see Kurokawa, T., 45
Ishitani, R., see Katsube, N., 151
Ito, M., see Tokimasa, T., 79
Iwamura, Y., Tanaka, M., Katsube, N., Sunaga, K., Chuang, D.-M., Ishitani, R., ONO-1603, a potential antidementia drug, shows neuroprotective effects and increases m_3-muscarinic receptor mRNA levels in differentiating rat cerebellar granule neurons, 151
Iwasaki, Y., Shiojima, T., Ikeda, K., Kinoshita, M., Bromocriptine prevents spinal motor neuron death following sciatic nerve transection in neonatal rats, 139
Iwatsubo, T., see Kanemaru, K., 196

Jänig, W., see Bartsch, T., 143
Janis, L.S., Stein, D.G., Intraseptal injections of NGF attenuates edema formation following septal lesions in the rat, 21
Jenner, P., see Hurley, M.J., 75
Jensen, M., see Blomberg, M., 163
Johannes, S., see Schnittger, C., 41
Jonet L., see Blanquet P.R., 135
Jung, J.-S., see Song, D.-K., 107

Kae Nien, J., see Schmidt, J., 1
Kähler, C.M., see Schratzberger, P., 208
Kaneko, T., see Li, J.-L., 91
Kanemaru, K., Iwatsubo, T., Ihara, Y., Comparable amyloid β-protein (Aβ) 42(43) and Aβ40 deposition in the aged monkey brain, 196
Kasischke, K., Ludolph, A.C., Riepe, M.W., NMDA-antagonists reverse increased hypoxic tolerance by preceding chemical hypoxia, 175
Kasuya, F., see Igarashi, K., 183
Kim, Y.-H., see Song, D.-K., 107
Kinoshita, M., see Iwasaki, Y., 139
Kobayashi, S., Ohta, M., Miyasaka, K., Funakoshi, A., Decrease in exploratory behavior in naturally occurring cholecystokinin (CCK)-A receptor gene knockout rats, 61
Kodama, T., see Azuma, S., 179
Koh, J.-K., see Lee, S.-H., 199
Kress, M., see Schmelz, M., 72
Kurisu, K., see Miyawaki, Y., 29
Kurokawa, T., Sato, E., Inoue, A., Ishibashi, S., Evidence that glucose metabolism is decreased in the cerebrum of aged female senescence-accelerated mouse; possible involvement of a low hexokinase activity, 45

Lannfelt, L., see Blomberg, M., 163
Lantos, P.L., see Fukutani, Y., 33
Lavie, P., see Nave, R., 123
Lee, S.-H., Rhee, J., Koh, J.-K., Lee, Y.-S., Species differences in functions of dopamine transporter: paucity of MPP^+ uptake and cocaine binding in bovine dopamine transporter, 199
Lee, Y.I., see Cha, C.I., 37
Lee, Y.-S., see Lee, S.-H., 199
Lehmann-Horn, F., see Mitrovic, N., 9
Lekhel, H., see Popov, K., 202
Lerche, H., see Mitrovic, N., 9
Li, J.-L., Kaneko, T., Mizuno, N., Effects of peripheral nerve ligation on expression of μ-opioid receptor in sensory ganglion neurons: an immunohistochemical study in dorsal root and nodose ganglion neurons of the rat, 91
Low, J.C., see Djamgoz, M.B.A., 127
Ludolph, A.C., see Kasischke, K., 175

Maelicke, A., see Hiemke, C., 171
Marsden, C.D., see Hurley, M.J., 75
Masson-Pévet, M., see Recio, J., 53
Matsubara, K., see Igarashi, K., 183
Mautes, A.E.M., Fukuda, K., Noble, L.J., Cellular response in the cerebellum after midline traumatic brain injury in the rat, 95
McCloskey, D.I., see Chan, R., 205
Menani, J.V., see de Paula, P.M., 155
Míguez, J.M., see Recio, J., 53
Miñana, M.-D., see Cabedo, H., 13
Mitrovic, N., Lerche, H., Heine, R., Fleischhauer, R., Pika-Hartlaub, U., Hartlaub, U., George, Jr., A.L., Lehmann-Horn, F., Role in fast inactivation of conserved amino acids in the IV/S4–S5 loop of the human muscle Na^+ channel, 9
Mitsumoto, T., see Tokimasa, T., 79
Miyasaka, K., see Kobayashi, S., 61
Miyawaki, Y., Morisaki, I., Tabata, M.J., Kurisu, K., Wakisaka, S., Calbindin D28k-like immunoreactivity in the gustatory epithelium in the rat, 29
Mizuno, N., see Li, J.-L., 91
Mogil, J.S., Grisel, J.E., Zhangs, G., Belknap, J.K., Grandy, D.K., Functional antagonism of μ-, δ- and κ-opioid antinociception by orphanin FQ, 131
Mori, H., see Takano, T., 69
Morisaki, I., see Miyawaki, Y., 29
Müller, W., see Alici, K., 17
Müller, W., see Egorov, A.V., 187
Münte, T.F., see Schnittger, C., 41

Nakano, T., see Tokimasa, T., 79
Nave, R., Herer, P., Haimov, I., Shlitner, A., Lavie, P., Hypnotic and hypothermic effects of melatonin on daytime sleep in humans: lack of antagonism by flumazenil, 123
Ni, Y., Zhao, B., Hou, J., Xin, W., Preventive effect of Ginkgo biloba extract on apoptosis in rat cerebellar neuronal cells induced by hydroxyl radicals, 115
Noble, L.J., see Mautes, A.E.M., 95

Ohta, M., see Kobayashi, S., 61
Olivé, M., see Ferrer, I., 49

Park, K.H., see Cha, C.I., 37
Pasapera, A.M., see Camacho-Arroyo, I., 25
Pascale, A., Fortino, I., Govoni, S., Trabucchi, M., Wetsel, W.C., Battaini, F., Differential isoform-specific regulation of calcium-independent protein kinase C in rat cerebral cortex, 99
Pasqualetti, P., see Rossini, P.M., 191

Pévet, P., see Recio, J., 53
Pika-Hartlaub, U., see Mitrovic, N., 9
Plumb, T.J., Bosch, A., Roessler, B.J., Shewach, D.S., Davidson, B.L., Hypoxanthine-guanine phosphoribosyltransferase (HPRT) expression in the central nervous system of HPRT-deficient mice following adenoviral-mediated gene transfer, 159
Popov, K., Lekhel, H., Bronstein, A., Gresty, M., Postural responses to vibration of neck muscles in patients with unilateral vestibular lesions, 202

Recio, J., Pévet, P., Míguez, J.M., Masson-Pévet, M., Melatonin receptors in the suprachiasmatic nuclei and pars tuberalis of testosterone induced photoresponsive rats, 53
Reinhardt, S., see Hiemke, C., 171
Reinisch, N., see Schratzberger, P., 208
Representation of reaching and grasping in the monkey postcentral gyrus, 147
Reuss, S., see Hiemke, C., 171
Rhee, J., see Lee, S.-H., 199
Riepe, M.W., see Kasischke, K., 175
Roessler, B.J., see Plumb, T.J., 159
Rogers, D.K., see Chan, R., 205
Rossi, S., see Rossini, P.M., 191
Rossini, P.M., Rossi, S., Tecchio, F., Pasqualetti, P., Finazzi-Agrò, A., Sabato, A., Focal brain stimulation in healthy humans: motor maps changes following partial hand sensory deprivation, 191
Rossor, M.N., see Fukutani, Y., 33
Ruigrok, T.J.H., van der Burg, H., Sabel-Goedknegt, E., Locomotion coincides with c-Fos expression in related areas of inferior olive and cerebellar nuclei in the rat, 119

Sabato, A., see Rossini, P.M., 191
Sabel-Goedknegt, E., see Ruigrok, T.J.H., 119
Sahara, N., see Takano, T., 69
Saito, T., see Djamgoz, M.B.A., 127
Sakurai, T., see Tomobe, Y.I., 57
Sato, E., see Kurokawa, T., 45
Sato, M.A., see de Paula, P.M., 155
Scherson, A., see Schmidt, J., 1
Schlegel, S., see Hiemke, C., 171
Schmelz, M., Kress, M., Topical acetylsalicylate attenuates capsaicin induced pain, flare and allodynia but not thermal hyperalgesia, 72
Schmidt, J., Kae Nien, J., Scherson, A., Campos, E.O., Cartier, L., Alvarez, J., Segmental demyelination induced by cerebrospinal fluid of progressive spastic paraparesis: correlation with altered proteolytic parameters, 1
Schnittger, C., Johannes, S., Münte, T.F., Transcranial Doppler assessment of cerebral blood flow velocity during visual spatial selective attention in humans, 41
Schratzberger, P., Wöll, E., Reinisch, N., Kähler, C.M., Wiedermann, C.J., Secretoneurin-induced in vitro chemotaxis of human monocytes is inhibited by pertussis toxin and an inhibitor of protein kinase C, 208
Schröder, H., see Hiemke, C., 171
Seguí, J., see Ferrer, I., 49
Senok, S.S., Halata, Z., Baumann, K.I., Chloroquine specifically impairs Merkel cell mechanoreceptor function in isolated rat sinus hairs, 167
Shewach, D.S., see Plumb, T.J., 159
Shiojima, T., see Iwasaki, Y., 139
Shirasaki, T., see Tokimasa, T., 79
Shirasawa, T., see Takano, T., 69
Shlitner, A., see Nave, R., 123
Son, K.-H., see Song, D.-K., 107
Song, D.-K., Suh, H.-W., Jung, J.-S., Wie, M.-B., Son, K.-H., Kim, Y.-H., Antidepressant-like effects of *p*-synephrine in mouse models of immobility tests, 107
Stein, D.G., see Janis, L.S., 21
Stolp, M., see Hiemke, C., 171
Stubbs, C.M., see Hurley, M.J., 75
Suh, H.-W., see Song, D.-K., 107
Sunaga, K., see Katsube, N., 151

Tabata, M.J., see Miyawaki, Y., 29
Takano, T., Yamanouchi, Y., Sahara, N., Shirasawa, T., Mori, H., Assignment of Alzheimer's presenilin-1 (PS-1) gene to 14q24.3 by fluorescence in situ hybridization, 69
Tanaka, E., see Tokimasa, T., 79
Tanaka, K., see Chiba, T., 65
Tanaka, M., see Tokimasa, T., 79
Tatsuoka, H., see Chiba, T., 65
Tecchio, F., see Rossini, P.M., 191
Thanos, S., see Hong, Y.-M., 111
Tokimasa, T., Shirasaki, T., Yoshida, M., Ito, M., Tanaka, E., Mitsumoto, T., Akasu, T., Tanaka, M., Higashi, H., Nakano, T., Calcium-dependent potentiation of M-current in bullfrog sympathetic neurons, 79
Tomobe, Y.I., Hama, H., Sakurai, T., Fujimori, A., Abe, Y., Goto, K., Anticoagulant factor protein S inhibits the proliferation of rat astrocytes after injury, 57
Toyoda, J.-I., see Djamgoz, M.B.A., 127
Trabucchi, M., see Pascale, A., 99
Tsai, J.-J., see Wang, S.-J., 87

van der Burg, H., see Ruigrok, T.J.H., 119
Vinay, L., Clarac, F., CGP 35348 and CGP 55845A block the baclofen-induced depression of dorsal root evoked potentials in lumbar motoneurons of the neonatal rat, 103

Wahlund, L.-O., see Blomberg, M., 163
Wakisaka, S., see Miyawaki, Y., 29
Wang, S.-J., Huang, C.-C., Hsu, K.-S., Tsai, J.-J., Huang, C.-C., Gean, P.-W., Blockade of isoproterenol-induced synaptic potentiation by tetra-9-aminoacridine in the rat amygdala, 87
Wetsel, W.C., see Pascale, A., 99
Wevers, A., see Hiemke, C., 171
Wie, M.-B., see Song, D.-K., 107
Wiedermann, C.J., see Schratzberger, P., 208
Wöll, E., see Schratzberger, P., 208

Xin, W., see Ni, Y., 115

Yamada, M., see Djamgoz, M.B.A., 127
Yamanouchi, Y., see Takano, T., 69
Yoshida, M., see Tokimasa, T., 79

Zhangs, G., see Mogil, J.S., 131
Zhao, B., see Ni, Y., 115